

■ 覆膜机(带自动切膜)

Laminating Machine (with automatic film cutting)

序号 serial number	名称 Product Name	覆膜机 (带自动切膜) Laminating Machine (with automatic film cutting)
1	品名: Product Name:	覆膜机 (带自动切膜) Laminating Machine (with automatic film cutting)
2	型号: Model Number:	OSM-FMJ-1320 I
3	特点: Features:	双工位放膜, 交替使用, 完成生产线不停线连续作业的功能; 自动切膜系统。 Double plex membrane release , alternating use, complete the function of continuous operation; automatic film cutting system.
4	有效工作宽度: Effective working width	0-1320 mm
5	有效输送厚度: Effective conveying thickness	3-80 mm
6	最小输送长度: Minimum conveying length	300 mm
7	输送速度: Conveying speed	1-20 m/min
8	传动辊直径: Diameter of driving roller	Φ 150 mm
9	辅助传动辊直径: Length of auxiliary drive roller	Φ 150 mm
10	传动辊长度: Drive roller length	1320 mm
11	辅助传动辊长度: Auxiliary	1320 mm



东莞市欧西曼机械设备有限公司

TEL: 0769-88125148 88125248 FAX: 0769-88120350
地址: 东莞市万江流涌尾管理区第二工业区 28 号 邮编: 523051

	transmission roller length	
12	机器长度: Machine length	500 mm
13	机器运转方向: Direction of machine operation	从左至右 from left to right
14	机器高度: Machine height	输送带离地高 850±30mm The conveyor belt is 850±30mm above the ground
15	整机尺寸: Machine size	6300mm×1550mm×1200mm
16	传动轮: Driving wheel:	<p>传动轮采用 45#无缝钢管经 CO² 焊接, 经调质处理之后, 表面研磨, 压纹。做动平衡, 跳动小于 0.03mm, 表面经电镀硬铬, 传动轮采用直接插入式连接传动, 可真正达到与驱动电机合二为一。轴承采用 NSK 轴承, 台湾台达变频器控制涂胶辊速度, 速度控制在 2~20M/min。</p> <p>The driving wheel adopts 45 # seamless steel pipe welded by CO², after conditioning, surface grinding and embossing. Do dynamic balance, beating is less than 0.03mm, the surface is electroplated hard chrome, the drive wheel is directly inserted and connected transmission, can truly achieve with the drive motor into one. The bearings adopts NSK bearings, Taiwan Delta inverter controls the adhesive roller speed, the speed is controlled at 2~20M / min.</p>
17		<p>所用电器符合 CE 标准, 低压电器为上海施耐德品牌。</p> <p>The electrical appliances used meet the CE standard, and the low-voltage electrical appliances are under the Shanghai Schneider brand.</p>
18	总功率: Total power:	1.5KW
19	电压: voltage:	电压 360-410 伏, 三相四线, 50 赫兹。 Voltage of 360-410 V, three-phase four-wire, 50 Hz.



东莞市欧西曼机械设备有限公司

TEL: 0769-88125148 88125248 FAX: 0769-88120350
地址: 东莞市万江流涌尾管理区第二工业区 28 号 邮编: 523051





东莞市欧西曼机械设备有限公司

TEL: 0769-88125148 88125248 FAX: 0769-88120350
地址: 东莞市万江流涌尾管理区第二工业区 28 号 邮编: 523051

